

# SOUNDWAVE

---

## VERHUURLIJST

### GELUID

- Mengtafels
- Randapparatuur sets
- Randapparatuur
- Luidsprekers
- Versterker sets
- Versterkers los
- Microfoons
- Statieven
- Kabels

### LICHT

- Conventioneel
- Lichteffecten
- Rookmachines
- Movingheads
- Besturing
- Truss
- Statieven
- Bekabeling
- Backdrops



## Geluid: Mengtafels :


Merk:	Type:	Specificatie:
Midas	XL200	40 mono + 4 stereo
Midas	Verona	24 mono + 8 stereo
Midas	Venice-F	24 mono + 4 stereo
Soundcraft	Compact SI24	24 mono
Allen & Heath	ML 3000	48 mono + 2 stereo
Allen & Heath	GL2800M	40 mono + 16 aux
Allen & Heath	GL2400	24 mono + 2 stereo
Allen & Heath	Wizard 16-2	16 mono
Allen & Heath	Wizard 12-2	8 mono + 2 stereo
Allen & Heath	ZED14	8 mono + 4 stereo
Pioneer	DJM 800	4 Stereo



## Randapparatuur sets:

FX Rack C		
Merk:	Type:	Specificatie:
Klark teknik	DN360	EQ
Lexicon	PCM90	Galm
Yamaha	SPX2000	Galm
Alessis	Quadraverb	Galm
TC-Electronics	D2	Delay
Tascam	MD-CD1	CD / MD Speler
Drawmer	DS404	Gate (8x)
Drawmer	DL221	Compressor (8x)

FX Rack B		
Merk:	Type:	Specificatie:
Klark teknik	Square one	EQ
Lexicon	MPX1	Galm
Yamaha	SPX90	Galm
Lexicon	PCM80	Galm
TC-Electronics	D2	Delay
Tascam	CD200	CD Speler
Drawmer	MX40	Gate (8x)
DBX	166XL	Compressor (8x)



### FX Rack A

Merk:	Type:	Specificatie:
DBX	1231	EQ
TC-Electronics	M1	Galm
TC- Electronics	D2	Delay
Tascam	CD200	CD Speler
Behringer	Multigate	Gate (8x)
DBX	266XL	Compressor (8x)




### EQ Rack BSS

Merk:	Type:	Specificatie:
Allen & Heath	RPS11	Voor allen & heath GL2800M
BSS	Opal	EQ
BSS	Opal	EQ
BSS	Opal	EQ
BSS	Opal	EQ

### EQ Rack DBX

Merk:	Type:	Specificatie:
DBX	231	EQ
DBX	231	EQ



### Gate / Compressor / Effecten

Merk:	Type:	Specificatie:
Yamaha	SPX90	Galm
Klark-Teknik	Square 1	Compressor / Gate (8x)

### Randapparatuur:

Merk:	Type:	Specificatie:
ASL	Intercom	1x Hoofstation 2x Beltpack 3x Hoofdtelefoon (Beyer Dynamic)
BSS	Opal	EQ
Sennheiser	G1	In ear Monitor (4x)
Sony	MDS 520	MD Speler
Denon	DN4500	Dubbele-CD Speler
Pioneer	CDJ 1000	Tabletop CD Speler



## Luidsprekers:

Merk:	Type:
JBL	MR922
EV	PX1122M
EV	FM1202M
EV	T251 ( Drumfill )
EV	DML1152
EV	MTH 2
EV	MTL2/DML2181
L' Acoustics	EX112
L' Acoustics	SB118
L' Acoustics	MTD112
EAW	KF750
EAW	SB750



## Versterker sets:

### Versterkerrack EAW 750 ( Mono )

Merk:	Type:	Specificatie:
Lab Gruppen	FPQ6000	4x 1200 watt
Lab Gruppen	FP6400	2x 3200 Watt
BSS	Minidrive	Processor 2 in 4 out

### Versterker Rack MT2

Merk:	Type:	Specificatie:
Lab Gruppen	FPQ10.000	4x2500 watt
Lab Gruppen	FP3400	2x1500 watt
Yamaha	P7000	2x1100 watt
BSS	Minidrive	Processor 2 in 6 out

### Versterker Rack Deltamax ( Dubbel )

Merk:	Type:	Specificatie:
Lab Gruppen	FP6400	2x 3200 Watt
Yamaha	P7000	2x1100 watt
Yamaha	P7000	2x1100 watt
EV	DMC1152	Controller
EV	DMC1152	Controller
EV	DMC2181	Controller
EV	DMC2181	Controller



### Versterker Rack Deltamax ( Enkel )

Merk:	Type:	Specificatie:
Yamaha	P7000	2x1100 watt
Yamaha	P7000	2x1100 watt
Yamaha	P7000	2x1100 watt
EV	DMC1152	Controller
EV	DMC1152	Controller
EV	DMC2181S	Controller



### Versterker Rack L'Acoustics EX112 / SB118

Merk:	Type:	Specificatie:
L'Acoustics	LA 24	2x1500 watt
L'Acoustics	LA 24	2x1500 watt
L'Acoustics	MTD112 LLCa	Controller
BSS	Minidrive	

### Versterker Rack Deltamax Infill

Merk:	Type:	Specificatie:
Yamaha	P5000	2x700 watt
EV	DMC1152	Controller

### Versterker Rack Deltamax Sub

Merk:	Type:	Specificatie:
Lab-Gruppen	FP3400	2x1500watt
EV	DMC2181S	Controller



### Versterkers:

Merk:	Type:
Lab Gruppen	FPQ6000
Lab Gruppen	FP6400
Lab Gruppen	C1200
Yamaha	P7000
Yamaha	P5000
Yamaha	P3500



## Microfoons:

### Vaste Microfoons.

Merk:	Type:
Shure	SM85
Shure	Beta 85
Shure	SM57
Shure	Beta 57
Shure	SM86
Shure	Beta 52
Shure	KSM 9
Sennheiser	E904
Sennheiser	E604
Sennheiser	E906
Sennheiser	E606
Sennheiser	E602
Beyer Dynamic	M201TG
Rode	NT5



### Draadloze Microfoons.

Merk:	Type:
Shure	SLX Beta 58
Shure	SLX Beta 87
Shure	SLX SM 86
Shure	ULX Beta 58
Shure	ULX Beta 87
Shure	ULX SM 86
Shure	ULX KSM 9



### DI's

Merk:	Type:
BSS	AR133 (DI)
Klark Teknik	DN100 (DI)
Stageline	DIB100 (DI)



## Statieven:

<b>Merk:</b>	<b>Type:</b>
K&M	Microfoon Groot
K&M	Microfoon Middel
K&M	Microfoon Klein
K&M	Speakerstatief
VMB	TE071 (Incl Vliegbeugel toppen)
VMB	TE074 (Incl Vliegbeugel toppen)
VMB	TE075C (Incl Vliegbeugel toppen)



## Bekabeling:

### Multi

<b>Merk:</b>	<b>Type:</b>	<b>Specificatie:</b>
LK-Tourline	150P (Male – Female)	55 Meter
LK- Tourline	150P (Male – Female)	8 Meter
Harting	108P (Female – Female)	50 Meter
Harting	108P (Female – Female)	30 Meter
Harting	108P (Female – Female)	20 Meter
Harting	108P (Female – Female)	5 Meter
Multiblok	Blok 8x XLR female / Spin 8x XLR male	5 Meter
Multiblok	Blok 8x XLR female / Spin 8x XLR male	10 Meter
Multiblok	Blok 8x XLR female / Spin 8x XLR male	20 Meter
Multiblok	Blok 16x XLR female / Spin 16x XLR male	15 Meter
Stageblok	LK-Tourline (2x) 48x XLR in/out	Incl. L / R + ASL
Stageblok	Harting 108P (2x) 32x XLR in/out	Incl. L / R
Stageblok	Harting 108P (1x) 32x XLR in/out	Incl. L / R + 4x monitor-out
Special	Harting 108P FX Rack → Mengtafel	5 Meter
Special	Harting 108P naar LK – Tourline	5 Meter



**Diversen.**

<b>Merk:</b>	<b>Type:</b>	<b>Specificatie:</b>
XLR	Female – Male	1 Meter
XLR	Female – Male	2.5 Meter
XLR	Female – Male	5 Meter
XLR	Female – Male	10 Meter
XLR	Female – Male	15 Meter
XLR	Female – Male	25 Meter
Jack	Male – Male	1 Meter
Jack	Male – Male	2.5 Meter
Jack	Male – Male	5 Meter
Speakon	Male – Male	2.5 Meter
Speakon	Male – Male	5 Meter
Speakon	Male – Male	10 Meter
Speakon	Male – Male	15 Meter
Speakon	Male – Male	25 Meter
230 V	Shuko - Shuko	2.5 Meter
230 V	Shuko - Shuko	5 Meter
230 V	Shuko - Shuko	10 Meter
230 V	Shuko – Shuko	15 Meter
230 V	Shuko - Shuko	25 Meter
230 V	Shuko - Powercon	2.5 Meter
230 V	Shuko - Powercon	5 Meter
230 V	Powercon – Powercon	2.5 Meter
230 V	Powercon – Powercon	5 Meter
230 V	Shuko – Verdeeldoos (4x)	2.5 Meter
230 V	Shuko – Verdeeldoos (4x)	5 Meter
230 V	Shuko – Verdeeldoos (4x)	10 Meter
380V	32A	5 Meter
380V	32A	10 Meter
380V	32A	15 Meter
380V	32A	25 Meter
380V	63A	10 Meter

**Special set**

<b>Aantal:</b>	<b>Van:</b>	<b>Naar:</b>	<b>Specificatie:</b>
2	Jack	XLR Male	15 Cm
2	Jack	XLR Female	15 Cm
2	XLR Female	XLR Female	15 Cm
2	XLR Male	XLR Male	15 Cm
2	2x XLR Male	2x XLR Female	15 Cm
2	Speakon Female	Speakon Female	Koppelbus



# Licht:

## Conventioneel:

Type:	Specificatie:
Fourbar	4x par 64 500w Raylight zwart (Harting 16p 8x Shuko)
Fourbar	4x par 64 500w Raylight zwart (DMX)
Six Circle	6x par 64 500w Raylight zwart (Harting 16p 8x Shuko )
ACL Set	2x fourbar zwart (par64 8x witte strakke lichtbundels 2000w)
Blinder	2x par36 zwart 1200 watt
Blinder	4x par36 zwart 2400 watt
Theater spot	500 watt zwart
Theater spot	1000 watt zwart



## Lichteffecten:

Merk:	Type:	Specificatie:
Oxo	Sunstrips (Active)	10x 75w
Martin	Atomic (Strobe)	3000w

## Rookmachines:

Merk:	Type:	Specificatie:
Martin	magnum hazer	1500m <sup>3</sup> /min   900watt
Antari	Z1000	1000watt
Antari	Lowfogger	1500watt



## Movingheads:

Merk:	Type:	Specificatie:
Robe	Spot 250 at	250Watt
Robe	Wash 250at	250Watt
Robe	Spot Robin300	300Watt

## Besturing:

Merk:	Type:
Avolite	Pearl 2008
Avolite	Pearl Tiger
Botex	Scene setter 24
Botex	4 channels



## Truss:

Merk:	Type:	Specificatie:
Multi-Truss	Square	0.5 Meter
Multi-Truss	Square	1 Meter
Multi-Truss	Square	1.5 Meter
Multi-Truss	Square	2 Meter
Multi-Truss	Square	2.5 Meter
Multi-Truss	Square	3 Meter
Multi-Truss	Square	T-Stuk
Multi-Truss	Square	90° Hoek
Multi-Truss	Square	90° Hoek down (Carré Hoek)
Multi-Truss	Square	Baseplate
Multi-Truss	Square	Baseplate kruis (75 cm)
Multi-Truss	Koppelbus	9.5 Cm
Multi-Truss	Koppelbus	14.5 Cm
Protruss	Triangle	1 Meter
Protruss	Triangle	2 Meter
Protruss	Triangle	3 Meter
Protruss	Triangle	Cirkel Ø 4Meter ( 8Delig)



## Statieven:

Merk:	Type:	Specificatie:
Manfrotto	U089	Max 30KG   Max 3.80 Meter
VMB	TE071	Max 200KG   Max 5.35 Meter
VMB	TE074	Max 250KG   Max 5.35 Meter
VMB	TE075C	Max 300KG   Max 6.50 Meter



## Bekabeling:

Merk:	Type:	Specificatie:
DMX	Female – Male	1 Meter
DMX	Female – Male	2.5 Meter
DMX	Female – Male	5 Meter
DMX	Female – Male	10 Meter
DMX	Female – Male	15 Meter
DMX	Female – Male	25 Meter
230 V	Shuko - Shuko	2.5 Meter
230 V	Shuko - Shuko	5 Meter
230 V	Shuko - Shuko	10 Meter
230 V	Shuko – Shuko	15 Meter
230 V	Shuko - Shuko	25 Meter
230 V	Shuko - Powercon	2.5 Meter
230 V	Shuko - Powercon	5 Meter
230 V	Powercon – Powercon	2.5 Meter
230 V	Powercon – Powercon	5 Meter
230 V	Shuko – Verdeeldoos (4x)	2.5 Meter
230 V	Shuko – Verdeeldoos (4x)	5 Meter
230 V	Shuko – Verdeeldoos (4x)	10 Meter
Harting	16P	2.5 Meter
Harting	16P	5 Meter
Harting	16P	10 Meter
Harting	16P	15 Meter
Harting	16P	25 Meter
380V	32A	5 Meter
380V	32A	10 Meter
380V	32A	15 Meter
380V	32A	25 Meter
380V	63A	10 Meter



## Backdrops:

Afmeting:	Kleur:	Specificatie:
3x5 Meter	Zwart	Molton brandvrij
4x6 Meter	Zwart	Molton brandvrij
6x6 Meter	Zwart	Molton brandvrij



## Dimmerpacks:

Merk:	Type:	Specificatie:	Prijs per set
-------	-------	---------------	---------------



